

Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Product

## **SYNERGETIC Biodegradable dishwashing liquid balsam, Basil and Fresh Mint**

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Product

## SYNERGETIC Biodegradable dishwashing liquid balsam, Eucalyptus and Mountain Thyme

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Product

## SYNERGETIC Biodegradable dishwashing liquid balsam, Juicy Pomegranate and Apricot

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Product

## **SYNERGETIC Biodegradable dishwashing liquid balsam, Pink Grapefruit and Spices**

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Product

## SYNERGETIC Biodegradable dishwashing liquid balsam, Pure 0%

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 17.08.2021

# Certificate

for the Product

## SYNERGETIC Biodegradable dishwashing liquid balsam, Rosemary and Currant Leaves

Dermatological test on humans in 2021

Study number: 2107195620


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Hypoallergenic Natural Foam For Washing Dishes, Baby Dishes and Toys, Aloe and Cotton Extract**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (05/23) of the testing




**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology

Dermatest GmbH  
Nevinghoff 30 | 48147 Münster  
Germany  
[www.dermatest.com](http://www.dermatest.com)



**Dermatest® GmbH • [dermatest.com](http://dermatest.com)**  
Nevinghoff 30 • 48147 Münster

Dr. med. Werner Voss  
CEO  
Tel. +49 (0) 251 481 637 0  
[info@dermatest.com](mailto:info@dermatest.com)



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,

Phlebology and Environmental Medicine  
Münsterländische Bank Thür & Co.  
IBAN: DE92 3006 0601 0005 3901 50  
Amtsgericht Münster HRB 1348  
UST-ID: DE126040147



Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Hypoallergenic Natural Foam For Washing Dishes, Baby Dishes and Toys, Sea Minerals**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Hypoallergenic Natural Foam For Washing Dishes, Baby Dishes And Toys, Chamomile And Linden Blossom**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (05/23) of the testing




**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology

Dermatest GmbH  
Nevinghoff 30 | 48147 Münster  
Germany  
[www.dermatest.com](http://www.dermatest.com)



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

Dr. med. Werner Voss  
CEO  
Tel. +49 (0) 251 481 637 0  
[info@dermatest.com](mailto:info@dermatest.com)



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,

Phlebology and Environmental Medicine  
Münsterländische Bank Thür & Co.  
IBAN: DE92 3006 0601 0005 3901 50  
Amtsgericht Münster HRB 1348  
UST-ID: DE126040147



Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Hypoallergenic Natural Foam For Washing Baby Dishes, Toys, Bottles And Pacifiers**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.


The seal contains the month and year (05/23) of the testing



**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology



**dermatest®**  
Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental Medicine

Sponsor

SYNERGETIC LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian Federation

Münster, 16.05.2023

## Certificate

Dermatest GmbH confirms hereby that the Cosmetic product

### **SYNERGETIC Biodegradable Hypoallergenic Natural Foam For Washing Dishes, Baby Dishes And Toys, Lime and Red Orange**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

**Study number 2304145261**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

**„excellently“**

and can be declared as **„dermatologically tested“**.

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (05/23) of the testing




**Dr. med. Gerrit Schlippe**  
Medical Specialist in  
Dermatology and Venereology

Dermatest GmbH  
Nevinghoff 30 | 48147 Münster  
Germany  
[www.dermatest.com](http://www.dermatest.com)



**Dermatest® GmbH • [dermatest.com](http://dermatest.com)**  
Nevinghoff 30 • 48147 Münster

Dr. med. Werner Voss  
CEO  
Tel. +49 (0) 251 481 637 0  
[info@dermatest.com](mailto:info@dermatest.com)



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,

Phlebology and Environmental Medicine  
Münsterländische Bank Thüring & Co.  
IBAN: DE92 3006 0601 0005 3901 50  
Amtsgericht Münster HRB 1348  
UST-ID: DE126040147



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 27.04.2021

# Certificate

for the Product

## **SYNERGETIC Biodegradable multifunctional cleaner, Soft purity**

Dermatological test on humans in 2021

Study number: 2103112394


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest® GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhskaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 08.10.2021

**Certificate**  
for the Product  
**SYNERGETIC**  
**Biodegradable multifunctional kitchen  
cleaner**  
Dermatological test on humans in 2021

Study number: 2109212909


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in open patch testing carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



Dermatest<sup>®</sup> GmbH Engelstr. 37 48143 Münster

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhs kaya Naberezhnaya  
603001 Nizhny Novgorod  
Russian federation

Muenster, 26.10.2021

# Certificate

for the Product

## **SYNERGETIC Multifunctional cleaner for cleaning the house, all surfaces and textiles**

Dermatological test on humans in 2021

Study number: 2110044800


The dermatological test performed by us on your product under the control of dermatological specialists was passed for this product with the rating of

**„excellent“**

This product did not lead to toxic-irritative intolerance reactions in open patch testing on sensitive skin carried out in accordance with international guidelines. The preparation can therefore be declared as dermatologically tested.



**Dr. med. Gerrit Schlippe**  
Investigating specialist  
for dermatology, venereology



**Dr. med. Werner Voss**  
Investigating specialist  
for dermatology, allergology,  
venereology, phlebology  
and environmental medicine



**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with aloe aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with apple aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with green tea aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with lemon aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with orange aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with pomegranate aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with watermelon aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable liquid for dishwashing children's dishes, pacifiers, bottles and toys**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with almond milk aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with gentle chamomile**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with juicy pear aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with lemon and mint aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with raspberry and mint aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects  
with sensitive skin  
under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following  
a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned  
for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster

**Sponsor**

Synergetic LLC  
306 Office 6/1, Nizhne-Volzhszkaya Naberezhnaya  
603001 Nizhny Novgorod  
Russia

Münster, 24.02.2026

# Certificate

Dermatest GmbH confirms hereby that the Cosmetic Product

## **SYNERGETIC Biodegradable dishwashing liquid with ripe cherry aroma**

was evaluated for skin tolerability by means of epicutaneous testing on 30 subjects with sensitive skin under the control of dermatological specialists and according to international guidelines.

### **Study number ST-ET-2026-00021**

No relevant skin reactions were detected in the test area following a single product application.

Therefore, from a clinical-dermatological point of view, the product was tolerated

## **"excellently"**

and can be declared as „**dermatologically tested**“ .

Based on the study design and the confirmed skin tolerability, the Dermatest® guaranty seal can be assigned for use for the test product.

The seal contains the month and year (02/26) of the testing.



**Dr. med. Werner Voss**  
Medical Specialist in Dermatology,  
Venereology, Allergology,  
Phlebology and Environmental  
Medicine



Dermatest® GmbH • [dermatest.com](http://dermatest.com)  
Nevinghoff 30 • 48147 Münster